



P.O. Box 70, 4304 Hwy 520  
Magnetawan, ON  
P0A 1P0

Lead Contact: Scott Edwards  
Public Works Superintendent  
P.O. Box 70, 4304 Hwy 520  
Magnetawan, ON  
P0A 1P0  
Email: [publicworks@magnetawan.com](mailto:publicworks@magnetawan.com)

## **Request for Proposal**

**Project Name: RFP 2024-03 “Steel Tracked Hydraulic Excavator  
with Brush Head”**

**Date of Issue: Friday April 12, 2024**

**Proposal Submission Deadline: Thursday May 9, 2024, by 3:00 p.m.**

## **Section 1 Introduction and General Instructions**

### **1.01 Introduction**

The Municipality of Magnetawan is inviting proposals for the supply of one (1) Municipal Steel Tracked Hydraulic Excavator with Brush Head. The successful proponent shall supply a 'turnkey' operational Steel Tracked Hydraulic Excavator with Brush Head.

This Request for Proposals document (and any other applicable attachments or addenda) is available in PDF format through the Municipality of Magnetawan's website at [www.magnetawan.com](http://www.magnetawan.com)

Any information contained in the Request for Proposal that is changed by the Bidder (except for filling in the blanks) will be grounds for disqualification.

Magnetawan's Procurement By-law is available for review at the Municipal Office or on the website.

### **1.02 Submission of Proposals**

Proposals shall be submitted in the form and format specified in Section 3 and shall include the completed Form of Proposal included as Section 5 at the end of this document. A designated signing officer authorized to bind the Bidder to the provisions of their Proposal must sign the Form of Proposal. Any addenda issued by the Municipality of Magnetawan in accordance with Subsection 1.06 must be acknowledged by the Bidder on the Form of Proposal.

All hard copy proposals must be signed, sealed, the envelope marked with the Bidder's name and the Project Name, and received by: The Municipality of Magnetawan, P.O. Box 70, 4304 Hwy 520, Magnetawan, ON P0A 1P0.

Electronic submissions will be accepted in response to this RFP. Electronic submissions will not be reviewed until the proposal opening date.

Faxed submissions will not be accepted.

**Project Name: RFP 2024-03 Steel Tracked Hydraulic Excavator with Brush Head**

**Proposals must be received no later than Thursday May 9, 2024 by 3:00 p.m.**

Proposals must not be restricted by a statement added to the Form of Proposal or by a covering letter, or by alterations to the Form of Proposal supplied unless otherwise provided in the RFP.

The onus unequivocally remains with the Bidder to ensure that the Municipality of Magnetawan receives proposals delivered or sent by courier prior to the Proposal Submission Deadline, in accordance with the submission process described in this section. Proposals received after the Proposal Submission Deadline will not be considered.

### 1.03 Contacts

All questions or inquiries must be made in writing or email to the Lead Contact named below, by the specified date and time:

*Scott Edwards  
PO Box 70, 4304 Hwy 520  
Magnetawan, ON  
POA 1P0  
publicworks@magnetawan.com*

**IMPORTANT:** A Bidder may be disqualified if they make inquiries, between the Proposal issue date and the notification of the Award, in a manner other than that described in this RFP or to anyone involved in the process who is not the Lead Contact, including but not limited to the members of Council. This is to ensure that each Bidder receives the same information, and that no Bidder receives unfair treatment during the RFP process.

### 1.04 Schedule

The schedule set out herein represents the Municipality of Magnetawan’s best estimate of the schedule that will be followed, and it is intended to be a guideline.

The approximate schedule is as follows:

RFP issue date	Friday April 12, 2024
Final date of posting addenda	Thursday May 2, 2024 by 4:30 p.m.
Proposal Submission Deadline	Thursday May 9, 2024 by 3:00 p.m.
Proposal Opening	Thursday May 9, 2024 by 3:30 p.m.

### 1.05 Required Review and Clarification

Bidders shall carefully review this RFP. If questions concerning clarification of the contents of this document arise, the questions must be made in writing and received by the Lead Contact to allow time for the issuance of any necessary addenda. Protests based on any omission or error or on the content of the RFP will be disallowed if these perceived faults have not been brought to the attention of the Lead Contact.

In submitting a Proposal, the Bidder acknowledges that they have read, completely understand, and accept the terms and conditions of the RFP in full. The Municipality of Magnetawan is not responsible for any misunderstanding of the RFP.

### 1.06 Amendments to the RFP

The Municipality of Magnetawan may issue addenda as they are received, clarify and/or modify certain aspects of the RFP prior to the Proposal Submission Deadline. No addenda shall be posted after **Thursday May 2, 2024**. to our website at [www.magnetawan.com](http://www.magnetawan.com) and shall be available in the Municipal Office.

## 1.07 Reserved Rights of the Municipality of Magnetawan

The Municipality of Magnetawan reserves the right to:

- a. make public the names of any or all Bidders and their quoted price.
- b. request written clarification or the submission of supplementary written information in relation to the clarification request from any Bidder and incorporate a Bidder's response to that request for clarification into the Bidder's Proposal.
- c. adjust a Bidder's scoring or reject a Bidder's Proposal based on:
  - i) a financial analysis,
  - ii) information provided by references,
  - iii) the Bidder's past performance on previous contracts awarded by the Municipality of Magnetawan,
  - iv) the information provided by a Bidder pursuant to the Municipality of Magnetawan exercising its clarification rights under this RFP process; or
  - v) other relevant information that arises during the RFP process.
- d. verify with any Bidder or with a third party any information set out in a Proposal.
- e. check references other than those provided by any Bidder.
- f. disqualify any Bidder whose Proposal contains misrepresentations and/or any other inaccurate and/or misleading information or qualifications.
- g. disqualify any Bidder or the Proposal of any Bidder who has engaged in conduct prohibited by this RFP.
- h. make changes, including substantial changes, to this RFP provided that those changes are issued by way of addenda in the manner set out in this RFP.
- i. select the Bidder other than the Bidder whose Proposal reflects the lowest cost to the Municipality of Magnetawan or the highest overall score.
- j. cancel this RFP process at any stage.
- k. cancel this RFP process at any stage and issue a new RFP for the same or similar deliverables.
- l. accept or reject any or all Proposals in whole or in part.
- m. discuss with any Bidder different or additional terms to those contemplated in this RFP or in any Bidder's Proposal.
- n. if a single Proposal is received, reject the Proposal of the sole Bidder, and cancel this RFP process.
- o. to negotiate with the two lowest Bidder(s).

These reserved rights are in addition to any other expressed rights or any other rights which may be implied in the circumstances.

## 1.08 Not Responsible for Costs

The Municipality of Magnetawan shall not pay any costs associated with the preparation, submission, or presentation of the Bidder's Proposal. The Municipality of Magnetawan shall not be liable for any expenses, costs or losses suffered by the Bidder or any third party resulting from the Municipality of Magnetawan exercising any of its expressed or implied rights under this RFP.

### **1.09 Proposal Expiry Date**

Bidders hereby acknowledge that their Proposals shall be irrevocable for a period of 60 days from the Proposal submission deadline. Extensions to this period may be granted with the mutual agreement of the Municipality of Magnetawan and the successful Bidder and may be initiated by either party.

### **1.10 Confidentiality and Ownership**

Any information provided to the Bidder by the Municipality of Magnetawan before, during or after the project is completed shall be treated as confidential and shall not be used or communicated by the Bidder or any third party in any way unless otherwise identified or permitted by the Municipality of Magnetawan. The information, reports, documentation, plans, etc. that are produced by the successful Bidder in response to this project shall become the exclusive property of the Municipality of Magnetawan. However, intellectual property, such as specific tools, templates, processes, etc. that the Bidder provides as part of the deliverables remains the property of the Bidder.

### **1.11 Invoicing**

The Vendor will be solely responsible for submitting a proper invoice as defined in the Construction Act, R.S.O. 1990 to the Municipality in accordance with the schedule and requirements of Section 2.04. In addition to the statutory requirements of a proper invoice, Contractors shall also submit the following documentation to the Municipality:

- a. A valid WSIB clearance certificate that covers the invoice period;
- b. If holdback is being retained by the Municipality, then on the second invoice (if applicable) and every invoice thereafter, a Statutory Declaration from the Contractor declaring that all accounts for labour, subcontracts, productions, construction equipment, and other indebtedness which may have incurred by the Contractor in the substantial performance of the Work and for which the Municipality might in any way be held responsible have been paid in full, except for amounts properly retained as a holdback or as an identified amount in the dispute on form CCDC 9A-2018 or some other alternative form acceptable to the Municipality; and
- c. Supporting documentation including weight tickets for materials used to substantiate the Work delivered and/or performed to date.

### **1.12 Method of Delivery of Invoices**

- a. The Contractor shall send invoices to both the attention of the Municipal contact(s) specified in the Contract and the Treasurer. The Contractor shall reference the invoice Project Name in the email subject line and/or envelope.
- b. Invoices not received by the Municipal contacts set out herein as instructed will not be acknowledged or considered received by the Municipality.
- c. Invoices delivered after 4:00 pm between Monday to Friday or statutory holiday or weekend will be considered received on the next business day.

### **1.13 Processing of Proper Invoices**

Failure of the Contractor to submit a Proper invoice will not be processed for the payment by the Municipality until a Proper invoice is received by the Municipality. It is the Contractor's responsibility to submit and re-submit a Proper Invoice to the Municipality whether the Municipality provides notice or not.

### **1.14 Payment Disputes**

- a. Upon receipt of a Proper Invoice from the Contractor, the Municipality may approve or dispute – all or part of the contents of the Proper Invoice.
- b. If the Municipality does not agree with the invoiced Work or amounts, the Municipality will review the invoice with the Contractor and try to resolve the disputed amounts within ten (10) calendar days from the date of receipt. If the invoice cannot be resolved between the Municipality and the Contractor within ten (10) calendar days, the Municipality may pay the portion that it determines is owing and will include with the payment an explanation for any reduction of the invoiced amount. Any Notice of Non-Payment shall comply with the Construction Act.
- c. The Municipality may withhold payment under the Contract for any disputed amounts, without interest until such dispute is settled or resolved – informally or formally i.e., litigation, adjudication, or any formal dispute resolution procedure.
- d. No payment made under the Contract will constitute a waiver of any terms of the Contract or any other rights available at law or equity.
- e. Unless otherwise agreed to by the parties, the Municipality will not be liable for any charge or fees for late payment.
- f. If the Contractor is in any way indebted to the Municipality, either under the terms of the Contract or for any other reason, the Municipality shall have the right of set-off to the extent of such debt.

### **1.15 Freedom of Information**

Any personal information required in the Proposal is received under the authority of the Municipality of Magnetawan. This information shall be an integral component of the submission. All written Proposals received by the Municipality of Magnetawan become a public record. Once a Proposal is accepted by the Municipality of Magnetawan and the contract has been awarded, all information contained in the Proposals may be available to the public, including personal information. Questions about the collection of personal information and the Municipal Freedom of Information and Protection of Privacy Act, 1989, R.S.O. 1990, as amended may be directed to the Lead Contact.

**Section 2 Minimum General Specifications and Requirements**

The successful Proponent/Bidder shall supply one (1) Municipal Tracked Hydraulic Excavator with Brush Head. The unit must be designed for Canadian rural service on mostly gravel roads. The complete machine must meet all W.C.B and D.O.T rules and regulations to operate in Ontario. To note a minimum rated power, gross of 115hp (86Kw) @ 2000 rpm and rated power, net 100.6hp (75Kw) @ 2000rpm. The Minimum Max Torque to be 339lb.ft (460Nm) @ 1400rpm. The preferred unit will have the power and ability to run a FAE Mulcher Model UML/HY-100-VT W/ Mounting Bracket at minimum.

The following general specifications are meant to be a guideline for the proposal.

#	Specification	Compliance Check one		State Actual
		YES	NO	
1	<b>General</b>			
2	1(one) new Steel Tracked Hydraulic Excavator with Brush Head. As comparison CAT 315 Next Gen Excavator, Develon DX140LCR-7 or equivalent size machine of other manufacturer.			
3	Excavator Usage: The excavator is to be used in a Public Works environment which includes the following duties: <ul style="list-style-type: none"> <li>• Ditching</li> <li>• Culvert replacement</li> <li>• Loading of tandem trucks</li> <li>• Brushing</li> </ul> Any components in this specification that do not allow this equipment to perform these duties should be brought to the attention of the Township. Machine must be complete and able to be used for the intended function at the time of delivery to the Municipality. If any parts or attributes not specifically mentioned in this specification are required for the vehicle to perform the intended work, then those parts shall be part of this specification.		List concerns if any,	
4	Specify equipment manufacturer.	-	Manufacturer:	
5	Specify year.	-	Year:	
6	Specify model.	-	Model:	

#	Specification	Compliance Check one		State Actual
		YES	NO	
7	<b>Machine Weight / Dimensions:</b>			
8	Operating Weight	_____KG		
9	Counter weight to be the heaviest option available for model.			<b>Please Specify</b> _____KG
10	Transport width to be no more than 8'6" (2590mm) (24" (600mm) track shoes)			
11	Shipping height to be no more than 10'2" (3100mm)			
12	Shipping Length to be no more than 26'3" (8570mm)			
13	<b>Engine</b>			
14	State Engine make and model:			
15	4 stroke turbocharged diesel-powered engine.			
16	Engine to be equipped with an electric fuel priming pump.			
17	Fuel filter in-line with strainer and water trap.			
18	Engine to have economy mode to obtain maximum fuel efficiency while maintaining performance.			
19	Engine air intake system to include a pre-cleaner and dust ejector followed by dry dual element filters.			
20	Engine fan to have auto reverse feature to clean radiators of debris.			
21	Engine fan to have full guard to protect operators and or service personnel.			



#	Specification	Compliance Check one		State Actual
		YES	NO	
22	Engine coolant to be factory filled long life anti-freeze protected to -34 degrees F (-37 degrees C)			
23	Cold start package, including glow plugs, block heater, grid heater or other. <b>Please specify.</b>			
24	<b>Electrical:</b>			
25	Machine to have a 24 volt electrical system.			
26	Any and all wiring to be insulated and secured and in such a way as to prevent rubbing on sharp objects and or stretching the wires throughout the machines full range of motion.			
27	Any additional wiring connections to be in a sealed enclosure or soldered/crimped and heat shrink applied to prevent corrosion. Scotch-lok connection are not acceptable.			
28	All external wiring shall be enclosed in a manner to protect it from environmental damage.			
29	Remote battery jump post.			
30	Battery main disconnect.			
31	Machine to include all work light options. L.E.D.			
32	All Lighting on the machine to be L.E.D.			
33	Cab to include a minimum of two 12 volt aux dc power outlets.			
34	<b>Cab:</b>			
35	Fully enclosed certified R.O.P.S			

#	Specification	Compliance Check one		State Actual
		YES	NO	
36	Thermal and sound insulation to reduce heat transfer and noise in the cab.			
37	Manufactures highest quality available, Operators seat with options and retractable seat belt. Adjustable arm rests, climate controls, air suspension etc. for maximum comfort and productivity.			<b>Please Specify:</b>
38	Machine shall have a system that monitors fluid levels upon machine start-up and warns the operator if the levels are not within acceptable ranges: Engine oil level, engine coolant level and hydraulic oil level.			
39	Machine shall have a color monitor screen located in front of the operator with factory installed rear view camera, display to also include gauges indicating fuel level, engine coolant temperature, hydraulic oil temperature and RPM.			
40	Operator's manual (2) two copies one of two is to be permanently attached to the seat and stored in a pocket in the rear of the seat of the machine.			
41	Cab HVAC system to have the capacity, with its fan on, to pressurize the cab sufficiently to meet ISO specification for a "pressurized cab", and be equipped with a HEPA filter.			

#	Specification	Compliance Check one		State Actual
		YES	NO	
42	A transparent factory skylight to be included for improved overhead visibility and to be supported by gas cylinders during opening and closing. Skylight shall have built-in sliding sunshade.			
43	A window shall be easily removed for an emergency exit.			
44	Machine shall not be capable of being started with the hydraulic lock lever in the "live" or "run" position.			
45	Cab to include Beverage holder.			
46	Factory installed AM/FM stereo radio with MP3 connection to be standard.			
47	Seat and consoles shall slide forward and backward independently, so they can be adjusted to comfortably fit any operator. Height adjustable joystick consoles to ensure maximum operator comfort.			
48	Machine to come with factory bolt on removable mesh guard for the front windshield, to limit flying debris from hitting the windshield. (Brushing, Hammer use) Also must be hinged for ease of cleaning on road side.			
49	Machine to include factory bolt on removable guard for the sky light to limit flying/falling debris from hitting sky light.			
50	Rain Guard to be installed on cab so long as it does not interfere with the Front windshield guard.			

#	Specification	Compliance Check one		State Actual
		YES	NO	
51	Machine shall be equipped with a lockable cab.			
52	The cab shall have factory auto- climate control, A/C with heater and pressurizer.			
53	Machine shall be equipped with switch-able pattern control (SAE or ISO).			
54	Windshield washer/wipers with constant and intermittent speed.			
55	Machine shall come with 4 sets of ignition/door keys.			
56	Tinted glass 20% on rear and side windows.			
57	Perforated front windshield visor.			
58	Front lower window to have secure storage in the cab.			
59	A washer wiper for the lower front windshield to be included. Wiper motor to not be mounted on the glass.			
60	Electric horn to be included.			
61	Storage compartments (literature etc.)			
62	Travel alarm for forward and reverse movement of the tracks.			
63	Handrail to be installed for safety 3 points of contact for the operator.			
64	Anti-skid steel plates shall cover the entire normal walking surface of the upper structure to prevent the operator from slipping during maintenance or inspection. Sandpaper style, stuck-on anti-skid material is not acceptable.			

#	Specification	Compliance Check one		State Actual
		YES	NO	
65	Include all mirror options interior and exterior that the manufacturer offers. Exterior rear-view mirrors to include heated option if available.			
66	Machine to come with side steel bumpers to limit damage to service doors.			
67	<b>Hydraulics:</b>			
68	Main System Maximum Rated Flow.	_____ L/Min		
69	Auxiliary System Maximum Rated Flow.	_____ L/Min		
70	Operating Pressure Implement.	_____ PSI		
71	Operating Pressure Travel.	_____ PSI		
72	Operating Pressure Swing.	_____ PSI		
73	Operating Pressure Power Boost.	_____ PSI		
74	Total combined flow from the two implement pumps shall not be less than 79 gal (300 L) per minute.			
75	All lines secured to boom and stick to be high pressure steel lines.			
76	Machine to have a minimum of 2 variable-displacement axial- piston pumps.			
77	Additional 5/8" coated steel line to be plumbed up the boom and stick to accommodate the brushing attachment for a case drain line. No filters or restrictions in this line before it returns to tank. Must have quick connect coupler to brushing attachment.			

#	Specification	Compliance Check one		State Actual
		YES	NO	
78	In cab joystick controllers shall be pre-wired from the factory for auxiliary hydraulics.			
79	Hydraulic pumps to be fully serviceable/re-buildable.			
80	All hydraulic lines must be protected from rubbing, chaffing or cuts by means of protective covering, rubber grommets and placement.			
81	Machine shall come with factory installed auxiliary Tool Control hydraulic circuit with 1 or 2-pump flow, combined one-way or 2-way hyd. flow complete with high pressure steel lines down boom & stick and shut off taps & joystick thumb wheel control. Finished with hydraulic quick connects. 3- way manual ball valve to be supplied at the end of steel line mounted to the stick.			
82	Machine shall have a second circuit to be Med pressure bi- direction for rotate circuit w/ steel lines down boom & stick, both joysticks to incorporate thumb wheel implement control with full modulation. Complete with hydraulic quick connects and manual ball valve shut off.			
83	Machine shall have an automatic swing parking brake.			
84	Hydraulic system to have fine swing control.			
85	Machine to come equipped with factory oem boom and stick lowering control device.			

#	Specification	Compliance Check one		State Actual
		YES	NO	
86	<b>Undercarriage:</b>			
87	Machine to have factory center track guide guard.			
88	Long undercarriage to be supplied not less than 10'2" center of drive gear to center of front idler wheel.			<b>Specify,</b>
89	Machine shall have a towing eye on frame base front and rear left and right.			
90	Machine to have minimum of one upper carrier roller and 7 lower rollers per side.			
91	Machine to have swivel guard.			
92	Track rollers and carrier rollers to be lifetime lubricated for increased service life.			
93	Machine to be equipped with 24-inch (600mm) steel triple grouser shoes.			
94	Machine to have full coverage heavy duty undercarriage removable bottom guards.			<b>Specify Gauge,</b>
95	<b>Operating Specifications:</b>			
96	Maximum digging depth at flat bottom shall be no less than 19'.5".			<b>Specify,</b>
97	Maximum reach at ground level to be no less than 29'7".			<b>Specify,</b>
98	Stick length to be no less than 8'6".			<b>Specify,</b>
99	Draw bar pull to be no less than 35,000lbf			<b>Specify,</b>
100	Swing torque.	<b>Specify,</b>		
101	Tail swing radius.	<b>Specify,</b>		

#	Specification	Compliance Check one		State Actual
		YES	NO	
102	<b>Attachments:</b>			
103	Hydraulic thumb Machine to be equipped with H&H progressive link hydraulic thumb. 4 tines configured to mesh between the teeth of the digging bucket and must pivot on stick pin. Hydraulic thumb roller controller shall be intergraded in cab on right control joystick.			
106	Hydraulic thumb hoses to be equipped with hydraulic quick connect fittings at the stick.			
107	Machine to be equipped with one H&H 60", 1-yard hydraulic tilt ditching bucket, bolt on reversible cutting edge, two double acting cylinders and a 2.5" diameter main pivot pin.			
108	Machine to come with one 42", 1.06-yard heavy duty digging bucket, 5 standard replaceable dig teeth and a full one piece bottom wear plate, certified lift loop included.			
109	Machine shall be equipped with one category 5 H&H Hydraulic wedge coupler.			
110	Machine to come complete with FAE Mulcher Model UML/HY-100-VT W/ Mounting Bracket.			
111	Brush mulcher to be equipped with optional pusher pad with no bucket teeth installed.			



#	Specification	Compliance Check one		State Actual
		YES	NO	
112	Brushmulcher frame to be fully welded and designed to be pushed on for carrier maneuvering.			
113	Brushmulcher to have replaceable shoes.			
114	Brushmulcher to have a minimum of 7/8" Qt main bearing plates.			
115	Brushmulcher hydraulic system to consist of anti-cavitation protection bent axis piston motor fixed or variable. 80cc.			<b>Specify,</b>
116	Brushmulcher must be provided with a 155HP rated synchronous drive belt.			
117	Brushmulcher cutting width to be 36".			
118	Brushmulcher to be rated for 2200 rpm			
119	Brushmulcher to be fitted with quad, chipper carbide tooling.			
120	Brushmulcher complete spare set of teeth.			
130	Brushmulcher cutting diameter to be 21".			
131	Brushmulcher to be fitted with a replaceable belt guard.			
132	Brushmulcher to be equipped with the correct adapter to attach to wedge coupler specified above (Line # 109).			
133	Brushing attachment to be supplied with all appropriate length hydraulic hoses and quick connect couplers needed to attach to carrier machine for operation. Including case drain.			

#	Specification	Compliance Check one		State Actual
		YES	NO	
134	<b>Additional:</b>			
135	<p><b>Please list all information where applicable:</b> In Shop  Rate: \$ _____ Service  Truck rate: \$ _____  Mileage Rate: \$ _____  Mileage Rate Calculated from: _____ Mobile  Technician rate: \$ _____ Consumable  Charges: \$ _____  Environmental Charges: \$ _____ Other  applicable Charges: \$ _____</p> <p>Closest dealer in kilometers to 10230  Highway 28 Apsley Ontario :</p>			
136	Machine and attachments to be delivered to the Municipality Of Magnetawan, 18 Miller Rd , Magnetawan, Ontario.			
137	Build sheet included.			
138	Operators' manual 2 paper copies.			
139	First engine service shall be performed at no charge to the Township including oil, filter, labour, and a full machine inspection, at the Municipality of Magnetawan Garage located at 18 Miller Rd , Magnetawan.			
140	The machine will have dirt seals on all bucket pins.			
141	Automatic grease system supplied and installed. (Groeneveld or Lubecore)			
142	<b>Warranty:</b>			
143	Full factory warranty to start from the date of delivery to the municipality and last a period of 1 year at a minimum.			<b>Please specify actual,</b>

**Optional items:**

Please provide a quote on the following options. These provisional items will be considered and may be added to the purchase price of the unit as extra costs. In the event that additional items are requested by the Township, an amended delivery date will be negotiated. H.S.T. is applicable to the item(s) listed, however, is not to be included in the submitted item cost.

Please list all prices "H.S.T. Extra".

Optional Items	Specification / Type	Price \$
	Make: _____ Model: _____	\$ _____
<b>Note:</b> Optional warranty information; please submit attachments of all specifications and inclusions applicable to the specific optional warranties. The attachments are to be signed and dated by the bidder.		
Warranty option 1	_____	\$ _____
Warranty option 2	_____	\$ _____
Warranty option 3	_____	\$ _____
Warranty option 4	_____	\$ _____
Warranty option 5	_____	\$ _____
Warranty option 6	_____	\$ _____
Warranty option 7	_____	\$ _____
Warranty option 8	_____	\$ _____

The proponent vendor is expected to provide a full set of specifications, for each component system (including hydraulics), in their proposal. Although price is of significance, the proponent vendors are encouraged to put forward a good quality package. The Municipality is looking for durability as well as value. The foregoing are minimum guidelines only; however, any significant

dimensional change should be high-lighted for consideration. Bidder to consult attached Specifications sheets.

The proponent vendor shall have a licensed service facility within a reasonable distance from Magnetawan for the provision of major maintenance service and/or repair.

The delivery of the proposed unit to the Municipality of Magnetawan shall not be later than **one hundred and eighty calendar days after award by Council.**

### **Section 3 Requirements**

#### **3.01 Submission**

For the Municipality of Magnetawan to evaluate Proposals fairly and completely, Bidders shall provide **all** information requested in the format set out in the RFP. Failure to provide all required information as detailed in this section may result in the Bidder being disqualified or scoring poorly in the evaluation.

Each Proponent shall submit one (1) set of their Proposal, containing the following items:

• An indication of the Proponent’s understanding of the project scope and requirements, including how the specific required services shall be met.	
• List of equipment type including description	
• An overview of the Proponent’s experience and expertise, as well as the expertise of any sub-contractors that will be involved as part of the Proponent’s team.	
• A Completed proposal package including signatures.	
• Proposal Addendums signed by Proponent for acknowledgement.	
• All necessary funds.	

#### **3.02 Evaluation Criteria, Process and Award**

The Municipality of Magnetawan may make an award based on the proposals received without further discussion with the Bidders. Therefore, each initial offer should contain the Bidder’s best terms/information, including all required documentation as listed in this RFP.

The evaluation committee will recommend Award to Council for the Bidder achieving the specifications required and the lowest price.

The successful Bidder shall be notified of the Award in writing to the e-mail address given on the Form of Proposal, and/or may be contacted verbally by the Lead Contact.

## **Section 4 Evaluation of the Proposals**

### **4.01 Evaluation Criteria, Process and Award**

As part of the evaluation process, the Municipality of Magnetawan may contact one or more Bidders to clarify or obtain more information about their Proposal or to request the Bidder to exhibit or otherwise demonstrate the information contained therein. The purpose of these discussions will be to ensure full understanding of the requirements of the RFP and Proposal. Discussions will be limited to specific sections of the RFP identified by the evaluation committee. The Lead Contact will only hold discussions with Bidders who have submitted a proposal deemed to be reasonably acceptable for Award.

The Municipality of Magnetawan may make an award based on the proposals received without further discussion with the Bidders. Therefore, each initial offer should contain the Bidder's best terms/information, including all required documentation as listed in this RFP.

### **4.02 Basis of Rejection of Proposal**

Proposal not conforming to the requirements within this document and/or the following will be disqualified:

- a. Proposal must be legible, in ink, typewritten, or by printer.
- b. Proposal must be in the possession of the Municipality of Magnetawan by the closing date and time and on the form provided.
- c. Proposal must be signed and sealed by an authorized official of the bidding organization. A joint proposal must be signed and sealed by each company.

The Contractor has carefully examined the conditions and specifications attached and referred to in this contract, and understands and accepts the said conditions and specifications, and for the prices set forth in this proposal, hereby offers to furnish all labour, equipment, and materials, except as otherwise specified in the contract, to complete the work in strict accordance with said conditions and specifications.

Attached to this proposal is a certified cheque, in the amount of 10% of the total proposal, made payable to the Municipality of Magnetawan. The proceeds of this cheque shall, upon acceptance of the proposal, constitute a deposit which shall be forfeited to the Municipality of Magnetawan if the Contractor fails to perform the work in accordance with the conditions and specifications referred to or contained in this proposal.

It is also agreed that upon acceptance in writing by the Municipality of Magnetawan this proposal form becomes the agreement for the performance of the work between the contractor and the Municipality.

### 4.03 Maximum Evaluation Points Summary

<b>Specification &amp; Quality</b>	<b>40 points</b>
<ul style="list-style-type: none"><li>Demonstration and documentation proving that the proposed vehicle meets or exceeds the minimum specifications, data spec sheets, and photographs. Evidence of a durable high-quality package.</li></ul>	
<b>Price &amp; Delivery</b>	<b>30 points</b>
<ul style="list-style-type: none"><li>Demonstration and documentation that the proposed unit is priced within reason when quality is considered, and that the unit can be delivered within the six-month time window.</li></ul>	
<b>Vendor's Background, Experience, and References</b>	<b>10 points</b>
<ul style="list-style-type: none"><li>The Bidder's experience in heavy equipment sales and services, and business references.</li></ul>	
<b>Breakdown of Costs</b>	<b>10 points</b>
<ul style="list-style-type: none"><li>Breakdown of costs, line items are complete and reasonable.</li></ul>	
<b>Distance to Service Facility</b>	<b>10 points</b>
<ul style="list-style-type: none"><li>Distance in kilometres to proponents licensed service facility.</li></ul>	
<b>Maximum Points Available</b>	<b>100 points</b>

The successful Bidder shall be notified of the Award verbally or electronically by the Lead Contact.

**Section 5 Form of Proposal**

I/We, the Undersigned, having examined this Request for Proposals, do hereby offer to enter into an Agreement with the Municipality of Magnetawan to act as Engineer of Record under the terms as included.

I, We \_\_\_\_\_  
(Name-Print) (Position)

of \_\_\_\_\_  
(Company Name)

Dated at \_\_\_\_\_ this \_\_\_\_\_ day of \_\_\_\_\_, 2023.

\_\_\_\_\_  
AUTHORIZED SIGNATURE

\_\_\_\_\_  
STREET ADDRESS

\_\_\_\_\_  
CITY PROVINCE POSTAL CODE

\_\_\_\_\_  
TELEPHONE NO. FACSIMILE NO. E-MAIL ADDRESS

Receipt of any issued addenda shall be acknowledged by initialing in the space provided below.  
Last posted addendum on the website on Thursday May 2, 2024 \_\_\_\_\_

Signature in the designated space, by an authorized officer of the Bidder's company affirms acceptance of the Request for Proposal requirements set forth in this document, the associated costs attributed to the business arrangement between the Bidder and the Municipality of Magnetawan, and hereby certifies that the information supplied in this proposal to be true and complete in all respects.

Company Seal

The following required information may be forwarded on the Vendor's forms and should include all manufacturers specification and submitted with the overall package. However, the information requested here, specifically should be clearly presented, easily understood, and easy to find.

**Schedule of Items & Prices**

(All unit prices are Not to include HST)

The undersigned agrees to supply and deliver the goods and services as specified and required in accordance with Section 2 of the Proposal for the following prices:

The Municipality reserves the right to cancel any or all items.

**One Steel Tracked Hydraulic Excavator**

Make: \_\_\_\_\_

Model: \_\_\_\_\_ Year: \_\_\_\_\_

Price as per specifications in part 'C': \$ \_\_\_\_\_

Extras/Options: \_\_\_\_\_ \$ \_\_\_\_\_

Extras/Options: \_\_\_\_\_ \$ \_\_\_\_\_

Extras/Options: \_\_\_\_\_ \$ \_\_\_\_\_

Total Price before H.S.T. \$ \_\_\_\_\_

H.S.T. \$ \_\_\_\_\_

Total Price \$ \_\_\_\_\_

**Additional Warranty Information/Price**

Details: \_\_\_\_\_ \$ \_\_\_\_\_

Extended Warranty Total Price \$ \_\_\_\_\_

H.S.T. \$ \_\_\_\_\_

Net Price: \$ \_\_\_\_\_

**Tracked Hydraulic Excavator Delivery Date:** \_\_\_\_\_